# The Gazette



# of India

### EXTRAORDINARY

# PART II—Section 3—Sub-section (i)

### PUBLISHED BY AUTHORITY

No. 115] NEW DELHI, WEDNESDAY, SEPT. 28, 1960/ASVINA 6, 1882

# MINISTRY OF FOOD AND AGRICULTURE (Department of Food)

### ORDER

New Delhi, the 28th September, 1960

- G.S.R.1160.—In exercise of the powers conferred by section 3 of the Essential Commodities Act, 1955 (10 of 1955), and in supersession of the Rice (Uttar Pradesh) Price Control Order, 1959 published with the notification of the Government of India in the Ministry of Food and Agriculture (Department of Food) No. G.S.R. 1420 dated the 23rd December, 1959, the Central Government hereby makes the following Order, namely:—
- I. Short title, extent and commencement.—(I) This Order may be called the Rice (Uttar Pradesh) Price Control Order, 1960.
  - (2) It extends to the districts in the State of Uttur Pradesh specified in Schedule I to this order
  - (3) It shall come into force on the 1st day of October, 1960.
- 2. Maximum prices at which rice may be sold.—'(1) The maximum prices ar which Arwa (Raw) and Sela (Parboiled) rice of Grades I, II, IIA, II Special, III, IV and V specified in column (1) of Schedule II to this Order may be sold in wholesale quantities in any locality to which this Order extends shall be as specified in the corresponding entries,—
  - (a) in case the metric system of weights is in toice in such locality, in column (2) of Schedule II;
  - (b) in any other case, in column (2) or column (3) of Schedule II according as the transaction is in terms of quintals or maunds.
  - (2) For the purposes of sub-clause (1),—:
    - (a) the prices specified are exclusive of the cost of gunny bags;
    - (b) a maund is equivalent in weight to 82 2/7 lbs. or 0.37 quintals;
    - (c) 'sale in wholesale quantities' means rale in quantities exceeding ten maunds or 3.73 quintals in any one transaction;
    - (d) 'Grade I', 'Grade II', 'Grade IIA', 'Grade II Special', 'Grade III'. 'Grade IV and 'Grade V' respectively mean any one of the varieties of rice specified in Schedule III to this Order and included in the ter sective grade and produced in the districes shown against the variety concerned;
    - (e) the prices specified are for fair average quality conforming to the specification prescribed in Schedule IV to this Order applicable to the respective grade of rice; for tice below the fair average quality, the maximum prices shall be determined by reducing the specified prices by the animum of cuts indicated in the said specification applicable to the respective grade of rice.

### SCHEDULE I

### (Can alama (a)

		[See clause 1(2)]
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	Mainpuri. Saharaupur. Muzaffarnagar. Dehra Dun. Banda Etawah Fatehpur. Kanpur. Gonda. Bahraich. Basti. Varanasi. Gorakhpur. Hardoi. Lakhimpur Kheri. Pilibhit.	17. Shah,ahanpur. 18. Badaun. 19. Naini Tal. 20. Rampur. 21. Rae Bareli. 22. Sitapur. 23. Bara Banki. 24. Agra 25. Moradabad. 26. Barcillv. 27. Unnao. 28. Mirzapur. 29. Etah. 30. Farrukhabad. 31. Allahabad. 32. Lucknow.

### SCHEDULE II

## [See claus: 2(1)]

Gra	des o	f rice			N	Maximum pr tal	ice per quin-	Maximum price per maund (3)	
	(1)					(2)			
					Arw	(a) /a(Raw) Sc	(b) la(Parboiled)	(a) Arwa(Raw) Sc	(b) :la(Parboiled)
						Rs.	Rs.	Rs.	Rs.
Grade I			-			60.28	58.94	22.50	22.00
Grade II				-		50· <b>24</b>	48· <b>9</b> 0	18.75	18.25
Grade IIA						52.92	51.58	19·7 <b>5</b>	19.25
Grade II Specia	Ī				•	58· <b>2</b> 7		21.75	- •
Grade III				•	-	44.88	43:54	16.75	16-25
Grade IV						40.19	38.85	15.00	14.50
Grade V						32.15	30.81	12.00	11.50

# EXTRAORDINARY

# SCHEDULE III [See clause 2(2)(d)]

Varieties of rice to which grade is 3nked

Districts	Grade I	Grade II	Grade IIA	Grade II Special	Grade III	Grade IV	Grade V
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
Gond <b>a</b> , Bahraich Bas- ti, Varanasi, Gorakh- pur, Mirzapur.		Maldaha, Latera and Superior Rambhog, Hand-hulled or machine-hulled true to their type or the equivalent.	Nil	Anji and Gauria true to their type or their equivalent.	Didai or Didwa; and type-21, true to their type or their equivalent, hand or ma- chine-hulled.	Bhadain and Sylhat true to their type or their equivalent	Sathi true to its type or its equi- valent.
Banda, Etawah, Fa- tehpur, Kanpur, Fartukhabad, Al- lahabad.	Hansraj (including local Basmati) true to its type or its equivalent.	Samhalu true to its type or its equivalent.	Ni	Nil	Safeda, Lakra and type-21 true to their type or their equivalent.	Rupa, Jordhan,	
Saharanpur, Dehra Dun.	Hansraj true to its type or its equiva- lent.	Nil	Ram Ajwain and Ramunia true to their type or their equiva- lent.	NiI	Lakra, Safeda and type-21 true to their type or their equivalent.	Gadra and Bha- dain true to their type or their equiva- lent.	
Mainpuri, Muzaffar- nagar, Agra, Etah.	Do.	Nil	Do.	Nil	Do.	Do.	Do.

(5)

Nil

(8)

type or

equivalent.

Hardoi, Lakhimpur- Hansraj (including Badshapasand, kheri, Pilibhit, Shahjahanpur, Badaun, Naini Tal, Rampur, Rae Bareli, Sitapur, Bara Banki, Moradabad, Bareilly,

Unnao, Lucknow.

(1)

local Basmati) true to its type or its equivalent.

(2)

Jhilma, Samhalu and Bindli true to their type or their equivalent.

Nil

(4)

Anjna, Gajraj and type-21 true to their type or their equivalent.

Banki, Gadra, Sathi true to its Khappor and Nakka true to their type or their equivalent,

THE GAZETTE

OF INDIA EXTRAORDINARY

### SCHEDULE IV

### [See clause 2(2) (e)]

The fair average quality rice shall be adequately polithed, in sound merchantatic condition, sweet, dry, clean, wholesome, of good food value and free from mould, wordly, and discolouration, admixture of deleterious substances and all impurities except to the extent indicated in the table below for each variety and grade of rice. Where the free tolerance limits are exceeded cuts shall apply as indicated in column 4).

Sl. No.	Particulars of impu		lxture	or		Free tolerance limit (percent	specified in column (3)
I		2				3	4
		I	. Qua	dity S	pecifi	cations for	Rice Grade I (Arwa)
1.	Dirt .	•	•	•		0.25	Over 0.25% and up to 0.5% at full value plus cleaning charges at 10 nP per maund or 27 nP per quintal.
							Over 0.5% and up to 1.25% at double value.
							Over 1.25% at double value plus cleaning charges at 10 nP per maund or 27 rP requintal.
2.	Brokens	•	•	•		15.0	Over 15% and up to 18% at half value. Over 18% at full value.
3.	Fragments	•			•	3.0	Over 3% and up to 6% at full value.  Over 6% at 1½ value.
4.	Half-hulled, inferior va			ed and	d	10.0	Over 10% and up to 12% at half value.  Over 12% at § value.
5.	Red grains		•		•	1.0	Over 1% and up to 2% at \ value. Over 2% at full value.
6.	Damaged, d chalky gra		ured	and		2.0	Over 2% and up to 3% at 3 value. Over 3% at full value.
7.	Paddy .	•	•	•	٠	0.25	Over 0.25% and up to 0.75% at full value. Over 0.75% a $1\frac{1}{4}$ value.
8.	Moisture		•			13.0	Over 13 % at double value.
<i>1</i>	1. Quality Sp.	ecifica	tions	for Ri	ice G		oecial) Grade II and Grade II A (Arwa)  Over 0.25% and up to 0.5% at full value plus cleaning charges at 10 nP per maund or 27nP per quintal.
							Over 0.51% and up to 1.25% at double value.
						•	Over 1.25 % at double value plus cleaning charges at 10 nP per maund or 27 nP per quintal.
2.	Brokens	•	•		,	20.0	Over 20% and up to 23% at half value Over 23% at full value.
3.	Pragments		•		•	4.0	Over 7% at 11 value.
4.	Half-hulled, inferior va			ed an	d	12.0	Over 12% and up to 14% at half value. Over 14% at § value.
5.	Red grains	•	•	•	•	1.0	Over 1% and up to 2% at $\frac{2}{3}$ value. Over 2% at full value.

1						3	4
6	. Damaged, o	discol ains	ource	ano	i	2.0	Over 2% and up to 3% at § value. Over 3% at full value.
7	. Paddy .	•	٠		•	0-25	
8	. Molsture	•	•	-	•	13.0	Over 13% at double value.
		II.	— 1. Q	ualit	у Ѕрес	ifications f	or Rice Grade III (Arwa)
1	Dirt ,	•	•		•	0.2	Over 0.5% and up to 0.75% at full value. plus cleaning charges at 10 nP per maund or 27 nP per quinta )
							Over 0.75% and np to 1.5% at double value.
							Over 1.5% ar double value plus elegning es at 10 nP per maund or 27 nP per quintal.
2.	Brokens	٠	•	٠	•	<b>2</b> 5·0	Over 25% and up to 28% at half value. Over 28% at full value.
3.	Fragments		•		•	5.0	
4.	Half-hulled inferior va	, unde Trictie	ermil 's	led ar	n d	12.0	Over 12% and up to 14% at half value. Over 14% at \$ value.
5.	Red grains	•	•			2.0	Over 2% and up to 3% at \$ value. Over 3% at full value.
۰6.	Damged, dir chalky gra	scolot ins	nred	und		3.0	Over 3% and up to 4% at § value.  Over 4% at full value.
7.	Paddy .	•	•	٠	•	0.25	Over 0.25 % and upto 0.75 % at full value Over 0.75% at 1½ value.
8.	Moisture		•	-	•	13.0	
			— <u> —</u> 7. Q	——– ualit1	, Spec	isicarions so	r Rice grade IV (Arwa)
I.	Dirt .	•			٠	0.5	
							Over 0.75 % and up to 1.5 % at double value.
							Over 1.5% at double value plus cleaning charges at 10 nP per maund or 27 nP per quiutal.
2.	Brokens			•		35.0	Over 35% and upto 38% at half value. Over 38% at full value.
3•	Fragments			•		6.0	Over 6% and upto 9% at full value. Over 9% at 11 value.
4.	Half-hulled inferior va	under trietie	mill	ed a	and		Over 14% and upto 16% at heli velte. Over 16% at \ value.
7-						3.0	Over 3% and upro 4% at § value. Over 4% at full value.
5•	Red grains		•				Over 4 % at 1011 value.
	Red grains  Damaged, dis	scolou			nelky	3.0	
5•	Damaged, dis	scolou			nalky		Over 4% at 1011 value.  Over 3% and upto 4% at # value.  Over 4% at full value.  Over 0.25% and upto 0.75% at full value.  Over 0.75% at 1 value.

(1)	í	(2)			(3)	(4)
-		V. 0	 Duality	specific	arions for	rice grade V (Arwa)
1	Dirt .		•	*	0-5	
						Over 0.75 % and upto 1.5 % at double value.
						Over 1.5% at double value plus cleaning charges at 10 nP per maund or 27 nP per quintal.
2	Brokens .		•	-	35.0	Over 35% and upto 38% at half value. Over 38% at full value.
3	Fragments		•	•	6.0	Over 6% and upto 9% at full value. Over 9% at 1½ value.
4	Red, half-hu milled g		undo	:-	14.0	Over 14% and upto 16% at half value. Over 16% at \( \frac{2}{3} \) value.
5	Damaged, d	iscolour <b>e</b> d	and c	halky	3.0	Over 3% and upto 4% at § value. Over 4% at full value.
6	Paddy .			•	0.5	Over 0.5 % and upto 1% at full value. Over 1% at 1½ value.
7	Moisture	•	•	•	13.0	Over 13% at double value.
		VI O	alin.	tocifica.	tions for m	ice grade I (Parboiled)
_	Di-	V 1. Qu	tereth s	рести	•	
I	Dirt .	• •	•	•	0.25	Over 0.25% and upto 0.5% at full value plus cleaning charges at 10 nP per maund or 27 nP per quintal.
						Over 0.5 % and upto 1.25% at double value.
						Over 1.25% at double value plus cleaning charges at 10 nP per maund or 27 nP per quintal.
2	Brokens	•		-	8-0	Over 8% and upto 11% at half value. Over 11% at full value.
3	Fragments	•	•	•	2.0	Over 2 % and upto 5% at full value. Over 5 % at 1½ value.
4	Half-hulled inferior		led :	and	10.0	Over 10% and upto 12% at half value. Over 2% at § value.
5	Red grains	•	•	-	1.0	Over 1 % and upto 2% at # value. Over 2% at full value.
6	Damaged, di grains	scoloured	and ch	ıalky		Over 2% and upto 3% at $\frac{2}{3}$ value. Over 3% at full value.
7	Paddy .		•	٠	0.52	Over 0.25 % and upto 0.75 % at full value.  Over 0.75 % at 11 value.
8	Moisture				14.0	Over 14% at double value.
	]	VII. Quali	ity spe	cification	is for rice	g grade II
		(Special)	grade	II and g	rade IIA	(Pa:boiled)
I	Diet .		•	•	0.25	Over 0.25 % and upto 0.5 % at full value plus cleaning charges at 10 nP per maund or 27 nP per quintal.
					(	Over 0·5 % and upto 1·25 % at double value.
						Over 1.25 % at double value plus cleaning charges at 10 nP per maund or 27 nP per quintal.
2	Brokens	· ,		· 		Over 15% and upto 18% at half value. Over 18% at full value.

(1)	(2)		(	3) (4)
3	Fragments	•	3 0	Over 3% and up to 6% at full value. Over 6% at 11 value.
4	Half-hulled, under-milled inferior varieties.	l and	12.0	Over 12% and up to 14% at half value. Over 14% at \{\frac{1}{2}\text{ value.}
5	Red grains		2.0	
6	Damaged, discoloured and ky grains.	cli <b>al</b> -	2-0	Over 2% and up to 3% at § value. Over 3% at full value.
7	Paddy		0.25	Over 0.25% and up to 0.75% at full value. Over 0.75% at 11 value.
8_	Moisture	· ·	14.0	Over 14% at double value.
	VIII. Qual	ity Specific	ations fe	or Rice Grade III (Parboiled).
I	Dírt		0.25	Over 0.25% and up to 0.5% at full value plus cleaning charges at 10 nP per maund or 27 nP per quintal.  Over 0.5% and up to 1.25% at double value
				Over 1.25% at double value plus cleaning charges at 10 nP per maund or 27 nP per quintal.
2	Brokens		15.0	Over 15 % and up to 18% at half value. Over 18% at full value.
3	Fragments		4.0	Over 4% and up to 7% at full value. Over 7% at 1½ value.
4	Half-hulled, undermilled inferior varieties.	and	12.0	Over 12% and up to 14% at half value. Over 14% at # value.
5	Red grains	•	2.0	Over 2% and up to 3% at # value. Over 3% at full value.
6	Damaged, discoloured chalky grains	and	3.0	Over 3% and up to 4% at \$\frac{1}{2}\text{value.} Over 4% at full value.
7	Paddy		0.25	Over 0.25% and up to 0.75% at full value.  Over 0.75% at 1\frac{1}{2} value.
8	Moisture .		14.0	Over 14% at double value.
	IX. Qua	lity Specific	cations f	or rice grade IV Parboiled
I	Dirt		0.25	Over 0.25% and up to 0.5% at full value plus cleaning charges at 10 nP per maund or 27 nP per quintal.
				Over 0.5% and up to 1.25% at double value.
				Over 1.25% at double value plus cleaning charges at 10 nP per maund or 27 nP per quintal.
2	Brokens		<b>3</b> 0.0	Over 20% and up to 23% at half value.  Over 23% at full value.
3	Fragments	• •		Over 5% and up to 8% at full value.  Over 8% at 14 value.
4	Half-hulled, undermilled inferior varieties	an d	14.0	Over 14% and up to 16% at half value. Over 16% at \ value.
5	Red grains		3.0	0 0/ 1 0/ 1
,	Damaged, discoloured chalkey grains.	ina j	3 0	Over 3% and up to 4% at # value. Over 4% at full value.
7	Paddy		0.25	0 0/ 1 0/ 511 1
8	Moisture		14.0	Over 14% at double value.

(:	t)		(2)				(3)	(4)
		<i>X</i> .—	Qualit	y Sp	ecificati	ons for ric	e grade V (Parboile	ed)
1	Dirt .		•	•	•	0.5	Over 0.5% and plus cleaning o or 27 nP per	up to 0·75% at full value charges at 10 nP per maund quintal.
							Over 0.75% and	up to 1.5% at double value
							Over 1.5% at charges at 10 n quintal.	double value plus cleaning P per maund or 27 nP per
2	Brokens	•	•	•	•	25.0	Over 25% and u Over 28% at fu	p to 28% at half value
3	Fragments	•	•	•	•	6.0	Over 6% and up Over 9% at 11	to 9% at full value.
4	Red, haif-h		and u	nder	-mıl-	14.0	Over 14% and u Over 16% at	ip to 16% at half value
5	Damaged, chalky gr	discol	oured		and	3.0	Over 3% and up Over 4% at full	
6	Paddy .	٠	•	•	•	0.5	• •	p to 1% at full value
7	Moisture					14.0	Over 14% at do	uble value.

- N.B.—(1) The excess of under-milled or inferior varieties over the tolerance limit, if any, can be adjusted against margin, if there is any, under 'Red grains', to the extent the contents of 'Red grains' fall short of tolerance limit but vice versa excess of red grains shall not be adjusted against 'under-milled' or 'inferior' varieties.
  - (2) In case the incidence of fragments is less than the tolerance limit prescribed in the schedule, the Broken grains in excess of tolerance limit will first be adjusted to that extent against the aforesaid shortfall in fragments without cuts.

### XI-Definition of Various Items of Impurities in Respect of Rice. Any foreign matter of the nature of dust, stones, lumps I. Dirt of earth, mud, chaff, stem or straw, oilseed, cockles non-eduible grins and other foreign matter which is not covered by any other item of impurity. Kernels which are less than 1 but not less than 1 of the Brokens full grain. 3. Fragments Kernels which are less than 1 of the full grain. Grains having small thin red streaks or their traces will Half-hulled and under-milled be treated as half-hulled provided that these red streaks all put together, cover less than 1 of the outer space of Inferior in grade, size, shape, colour, quality, cooking Inferior and taste to the quality of that grade. Grains having 1 or more coating of red streaks will be 6. Red treated as red. Grain that is discoloured and spoiled by natural or un-natural factors such as, loose-water, excessive 7. Damaged . moisture, fungi, insects and pesst etc. Deviation in the colour of the grains from normal. 8. Discloured generally caused by light showers of rain when the grains is on the threshing floor, and also during the storage by excessive moisture or exposure to sun. Immature crop may also be responsible for disof the grains. **c**olouration nis rice is of milk-white or chalky colour and s opaque. It is relatively soft, coarse in appearance and This rice is of milk-white o. Chalky tends of cook into a glutinous mass.

624		THI	E GA	VE I. I	E O	F INDIA EXTRAORDINARY	[PART II—SEC. 3(i)]
(I)		(2)				(3)	(4)
10. Paddy	,	•	٠	-	•	Rice from which husk is not a wholly or partly. If there are it will be treated as paddy.	
II. Moisture			•	•	٠	Foodgrains contain a certain amore It varies from place to place, a according to the method of Grain should however, be sout table condition so that it may keep out undergoing deterioration of moisture and shall conform to Schedule of specifications.	eason to season and also determination adopted. ad, dry and in merchan- eep well in storage with- on account of excessive

[No. 201 (UP) (3)/451/60-PY. II]. B. B GHOSH, Secy.